

Ropes, Knots, And Hitches

Verdugo Fire Academy

Introduction

- Ropes are widely used in the fire service.
- May be your only means for rescue
- Ropes and knots are an important part of training.
- A fire fighter must be able to tie simple knots accurately and without hesitation with gloves on and in the dark.

Verdugo Fire Academy

Objectives (1 of 3)

- Describe the differences between life safety rope and utility rope.
- List the three most common synthetic fiber ropes used for fire department operations.
- Describe the construction of a kernmantle rope.
- Describe how to use rope to support response activities.

Objectives (2 of 3)

- · Describe how to clean and check ropes.
- Describe how to record rope maintenance.
- List the reasons for placing a life safety rope out of service
- Describe the knot types and their usage in the fire service.

Verdugo Fire Academy

Objectives (3 of 3)

- Describe how to tie various Fire Service knots.
- Describe the types of knots to use for given tools, ropes, or situations.
- Describe hoisting methods for tools and equipment.

Verdugo Fire Academy

Types of Rope

- Two primary types of rope are life safety and utility.
- Life safety
 - Used solely for supporting people
 - Must be used anytime a person is supported whether in training or in an actual emergency
- Utility
 - Used in most cases when it is NOT necessary to support a person, such as hoisting or lowering tools

-	
-	

Life Safety Rope

- Any rope dedicated solely for the purpose of supporting people during rescue, fire fighting, or other emergency operations, or during training evolutions supporting people
- As defined by NFPA
 1983 Standard on Fire
 Service Life Safety Rope
 and System
 Components



Verdugo Fire Academy

Life Safety Rope

- · Never used as utility rope
- Must be used when supporting the weight of one or more persons
- NFPA 1983 specifies design, construction, and performance criteria.
- Types
 - One-person rope has a weight limit of 300 lb.
 - Two-person rope has a total weight limit of 600 lb.

Verdugo Fire Academy

Personal Escape Rope

- Used only for self-rescue in an extreme situation
- Designed for the weight of one person only
- Its purpose is to provide fire fighters with an escape method in a life-threatening emergency.
- · Should be replaced after one use
- Always have an escape route and use the rope only as a last resort.

Utility Rope

- Is not used to support the weight of a person.
- Used for hoisting, lowering, and securing tools and equipment
- Requires regular inspection
- Must not be used where life safety rope needed
- Do not use life safety rope as a utility rope.
- Tagging recommended for easy identification

Verdugo Fire Academy

Rope Materials

- Ropes can be made of many types of materials.
- Earliest ropes were made from natural vines woven together
- Now ropes are made of synthetic material.
- Different materials are used for different situations.

Verdugo Fire Academy

Natural Fiber Rope

- Natural fiber ropes were often made of manila.
 - Fibers woven together
 - Various lengths twisted together for strands
- · Current use for utility, not life safety tasks
- · Disadvantages
 - Subject to mildew and deterioration
 - May absorb 50% of their weight in water
 - Very difficult to dry
 - No safe life

			_
			_
			_
			_
			_
			_
			_
			_

Synthetic Fiber Rope

- Nylon first manufactured in 1938
- Synthetic fibers have been used for ropes ever since.
- Types
 - Nylon
 - Polyester
 - Polypropylene
 - Polyethylene

Verdugo Fire Academy

Advantages of Synthetic Fiber Rope

- · Stronger than natural fibers
- Use fibers that run the entire length of the rope for greater safety and strength
- More resistant to rotting and mildew
- More resistant to melting and burning
- · Less absorbent and can be washed and dried
- · Some will float on water

Verdugo Fire Academy

Disadvantages of Synthetic Fiber Rope

- Prolonged exposure to ultraviolet light, strong acids, or alkalis can damage the rope.
- Highly susceptible to abrasions and cutting

- 1	_

Synthetic Rope and Life Safety

- Life safety rope is always synthetic.
- NFPA 1983 specifies:
 - Continuous filament, virgin fiber
 - Block creel construction: no knots or splices
- · Fiber comparison
 - Nylon is most common
 - Polyester is second most common
 - Polypropylene is lightest; good for water rescue, but not for life safety

Verdugo Fire Academy

Rope Construction

- There are several types of rope construction.
- The best choice depends on specific application.

Verdugo Fire Academy

Twisted Rope Construction

- · Also called laid ropes
- Made of individual fibers twisted into strands
- Strands are twisted to make the rope.
- Both natural and synthetic fibers can be twisted.
- All fibers exposed to abrasion.
- Twisted ropes stretch and are prone to unraveling.



Braided Rope Construction

- Strands are woven like hair braiding.
- Exposes all of the strands to abrasion
- Synthetic fibers are most commonly used.
- Fibers stretch but not prone to twisting
- Double-braiding can protect inner core.



Verdugo Fire Academy

Kernmantle Rope Construction (1 of 2)

- Consists of two parts: the kern and the mantle
- Kern is the center core and provides 70% of rope's strength.
- Mantle is the sheathlike braided covering that protects kern from dirt and abrasion.



Verdugo Fire Academy

Kernmantle Rope Construction(2 of 2)

- Kern and mantle are synthetic but may be different materials.
- Each fiber in the kern extends the entire length of the rope.
- Provides a very strong and flexible rope that is thin and lightweight
- · Well-suited for rescue work

Dynamic and Static Rope Construction

- Dynamic
 - Designed to be elastic and stretches under load
 - Usually used by mountain climbers
- Static
 - Will not stretch under load
 - More suitable for rescue situations
- Difference due to the fibers used and the construction method
- Many rope rescue teams carry both.

Verdugo Fire Academy

Dynamic and Static Kernmantle Rope

- Dynamic is constructed with overlapping or woven fibers in the core; when loaded, the fibers pull tighter, giving elasticity.
- Static is constructed with all fibers parallel to each other, little elasticity, and limited elongation when loaded.

Verdugo Fire Academy

Rope Strength (1 of 2)

- Rated for specific amounts of weight under NFPA 1983
- Minimum breaking strength based on loading of 300 lb person with safety factor of 15:1
- Safety factor allows for knots, twists, abrasions, and other causes
- · Also considers shock loading
- A personal escape rope is designed for a 300 lb person with a safety factor of 10:1.

•		
•		
•		
•		

Rope Strength (2 of 2)



Technical Rescue

- Ropes often used to access and extricate individuals.
- Several hardware components may also be needed.
- Carabiner secures and connects lines.



Verdugo Fire Academy


Harnesses (1 of 2)

- Harnesses are used to secure a person to a rope or object
 - Ladder belt harness secures fire fighter to a ladder
 - Seat harness supports fire fighter during rescues
 - Chest harness supports fire fighter on life safety rope
- Harnesses must be cleaned and inspected regularly.

Class I harness (ladder belt) Class III harness (seat) Class III harness (seat)

Types of Technical Rescue

- Rope Rescues
- Trench Rescues
- Confined Space Rescue
- Water Rescue



Verdugo Fire Academy

Rope Maintenance

- All ropes require proper care.
- Maintenance is essential for life safety rope.
- Four parts to maintenance:
 - Care
 - Clean
 - Inspect
 - Store

Care

- Protect from sharp and abrasive surfaces.
- Protect from heat, chemicals, and flame.
- Protect from rubbing against another rope.
- Avoid prolonged sunlight exposure.
- Never step on a rope.
- Follow manufacturer's care guidelines.

Verdugo Fire Academy

Clean

- Use mild soap and water for synthetic fibers.
 Use a rope washer with a garden hose.
- May be able to use a mesh bag in a front-loading washer
- Use a mild detergent and NO bleach.
- Do not store wet or damp.

 Air dry but not in direct sunlight.

 - Do not use a mechanical dryer.



Verdugo Fire Academy

Rope Inspection

- Inspect life safety rope after each use and on a regular schedule when unused.
- Inspect visually looking for cuts and damage as you run it through your fingers.
- Life safety rope that can no longer be used must be destroyed.
 - Sometimes, can be downgraded to utility rope if clearly marked
- Maintain record for life safety rope.



Storing Rope

- Avoid temperature extremes and keep out of sunlight.
- Keep away from fumes of gasoline, oils, and hydraulic fluids.
- Use a separate apparatus compartment away from fuels.
- Do not place any heavy objects on the rope.
- Use rope bags to protect and store the rope.
- If shock loaded, inspect and consider removing from service.



Verdugo Fire Academy


Knots

- Knots are prescribed ways of fastening ropes and webbing to objects or each other.
- Fire fighters must know how and when to use knots.
- Knots are used for multiple purposes including hitches, loops, bends, and safety.
- Knots in rope reduce rope load-carrying capability by certain percentages.

Verdugo Fire Academy

Knot Terminology

- Working end
 - Used in forming knots
- Standing part
 - Between the working and the running end
- · Running end
 - the part used for hoisting, pulling, or belaying



Elements of a Knot The Bight The Loop The Round Turn Verdugo Fire Academy

Basic Fire Service Knots

- Safety knot or Overhand
- Half hitch
- · Clove hitch
- Square knot
- · Becket bend
- Bowline
- Half Sheep Shank or Truckers Hitch
- Figure eight
- Figure eight on a bight
- Figure eight bend
- Figure eight with a follow-through
- Inline figure eight or directional eight
- Handcuff knot

Verdugo Fire Academy

Safety or Overhand Knot

- Also called an overhand or keeper knot
- Secures the leftover working end to standing part
- Used to attach webbing together
- Used on rope as added degree of safety
- Should always be used on synthetic ropes



Hitches

- Wrap around an object
- Used to secure working end to a solid object or to tie a rope to an object before hoisting it

Verdugo Fire Academy

Half Hitch

- Not secure used with other knots
- Used to align object handles with rope
- Used primarily for hoisting tools and equipment
- Can be used as a safety



Verdugo Fire Academy

Clove Hitch

- Used primarily to attach a rope to an object such as a post, pole, or hose line.
- Formed anywhere in the rope
- Tied properly will withstand pulls from either direction.



Square Knot

- Tie ropes of equal diameters together
- Should not be used on synthetic ropes
- Replaced by figure eight bend.



Verdugo Fire Academy

Sheet or Becket Bend

- Used to join two ropes of unequal diameters
- Can join rope to a chain or cable
- When tied bight goes in the large rope or item



Verdugo Fire Academy

Loop Knots

- Used to form a loop in the end of a rope
- Loops may be used for hoisting tools, securing a person, or for identifying the end of a stored rope.
- Will not slip easily but are easy to untie
- Includes
 - Figure eight family of knots
 - Bowline

Bowline

- Forms a loop to secure the rope to an object or anchor point
- Designed for tying to objects, not people
- Was the knot of choice replaced by Figure 8
- If tied in synthetic rope must have a safety



Verdugo Fire Academy

Figure Eight

- AKA Stopper
- Seldom used alone
- Basic builder of all Figure Eight Family



Verdugo Fire Academy

Figure Eight on a Bight

- Creates a loop at the working end of a rope
- Loop may be any size in diameter
- Anchoring attachment
- Harness tie-in
- Can be tied anywhere in the rope



Figure Eight Bend

- Attaches two ropes of equal diameters
- Replaces square knot on synthetic rope
- Also known as figure eight follow through
- Must have safety knots



Verdugo Fire Academy

Figure Eight Follow Through

 Used when the working end must be wrapped around an object or passed through an opening, such as an anchor point.



 Also used to tie two ropes together (Fig. 8 Bend)

Verdugo Fire Academy

Inline Figure Eight

- Used to pull even tension on the knot.
 - Truckers hitch
 - Anchoring ladders in Ladder rescue



Inline Figure Eight 2 3 4 Verdugo Fire Academy

Handcuff Knot


- Used in RIC
 - Firefighter rescue
 - Simple and quick to tie
- AKA Butterfly Knot




Verdugo Fire Academy

Handcuff Knot

- Form two loops in the rope.
- Pull the left side of the right loop down through the left loop while doing the same with the left loop
- Place the two loops over the victim's wrists, pull the slack out





Miscellaneous Knots

- Truckers Hitch
- Double Loop Figure Eight





- Water Knot
- The Double Fisherman's Bend





Verdugo Fire Academy

Methods of Knot Tying

- Find a method and use it all the time.
- Your department may require a specific method.
- You should be able to tie knots while wearing gloves, in the dark, and behind your back.



Verdugo Fire Academy

"Dressing" a Knot

- Knots are "dressed" by tightening and removing twists, kinks, and slack.
- Firmly finish in a fixed position
- Makes for easy inspection
- Always secure loose ends with safety knot to avoid accidental release of primary knot.

Knot Tying Practice

- Skills can be quickly lost without practice.
- Consider practicing while on the telephone or watching TV.

Verdugo Fire Academy

Hoisting Equipment

- In an emergency, you may have to raise or lower tools and equipment.
- Important that the object is properly secured.
- Coworkers must be able to quickly remove the object.
- When lowering, be sure no one is under the object.

Verdugo Fire Academy

Hoisting an Axe

- Place in vertical position with head down.
- Use a figure eight or a clove hitch on the handle at the head.
- Use half hitches along the handle.
- Keep the handle parallel to the rope.



Hoisting a Pike Pole

- Hoist in a vertical position for immediate use when untied.
- Secure the clove hitch close to the pole head.
- Half hitches keep the handle parallel to the rope.
- Secure the pole with second clove hitch.
- Leave length for a tag line.



Verdugo Fire Academy

Hoisting a Ladder

- Hoist in a vertical position.
- Attach a tag line for control.
- Retract hooks on all roof ladders.
- Tie a figure eight on a bight or a bowline for a secure hoist and easy release.



Verdugo Fire Academy

Hoisting an Uncharged Hose Line

- Fold the hose back on itself, with the nozzle on top.
- Hoist the hose with the fold at the top and the nozzle pointing down.
- Uses a half hitch at the fold and a clove hitch at the nozzle.
- To avoid weight drag, pull up sufficient hose before release.



Hoisting a Charged Hose Line

- It is preferable to hoist a dry hose line.
- Water weight makes hoisting difficult.
- Secure the nozzle in a closed position.
- Secure with clove hitch, half hitch, and safety.
- For easy release: remove tension, and slip the bight over the nozzle.



Verdugo Fire Academy

Hoisting an Exhaust Fan or Power Tool

- Use the same technique as for tools with strong, closed handles.
- Secure handles with a figure eight with a follow-through, and use half hitches for balance.
- Hoist power saws level to avoid leaks.



Verdugo Fire Academy

Hoisting Tips

- Practice hoisting the actual tools used in your department.
- You should be able to hoist tools automatically and in adverse conditions.
- Always use utility rope for hoisting tools and equipment.

Summary (1 of 2)

- Ropes and knots are widely used in fire service.
- Two primary types of fire service rope:
 - Life safety
 - Utility
- Ropes are made from many types of materials.
- There are several types of rope construction.
- Life safety rope is designed to carry a specific amount of weight.

Verdugo Fire Academy

Summary (2 of 2)

- Ropes are often used in technical rescue incidents.
- All ropes require proper care.
- Knots are used to fasten rope to objects or each other.
- Fire fighters must know how to raise and lower tools and equipment using ropes and knots.

-				
_				
-				
-				
-				
_				
-				
_				
-				
-				